update 10/809,658

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1231	serial near peripheral near interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 08:36
L2	14	serial near peripheral near interface near memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 08:41
L3	0	serial near peripheral near interface near serial near flash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 07:27
L4	.0	2 and (field near programmable near gate near array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 07:29
L5	94	1 and (field near programmable near gate near array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 07:29
L6	71	1 and (programmable near logic near device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 07:30
L7	63	1 and (programmable near device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 07:30
L8	171	5 or 6 or 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 07:34
L9	96946	(("326") or ("365")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 07:35
L10	6	8 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 08:35

L14	957	(serial near peripheral near interface) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 08:41
L15	50	(serial near peripheral near interface) and (serial near memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 08:42
L16	12	9 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 08:42

Interference Search 10/809, 458

Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
69	(serial near peripheral near interface).clm.	US-PGPUB	OR	ON	2006/01/06 08:38
3	7	US-PGPUB	OR	ON	2006/01/06 08:38
	69	69 (serial near peripheral near interface).clm. 3 ((serial near peripheral near interface) and (serial near memory)). clm.	69 (serial near peripheral near interface).clm. US-PGPUB ((serial near peripheral near interface) and (serial near memory)).	Operator 69 (serial near peripheral near interface).clm. 3 ((serial near peripheral near interface) and (serial near memory)). US-PGPUB OR	69 (serial near peripheral near interface).clm. 3 ((serial near peripheral near interface) and (serial near memory)). US-PGPUB OR ON ON